

ANNEX “A”

SECTION VI

SCHEDULE OF REQUIREMENTS

TABLE OF CONTENTS

- I. General**
- II. Contract Schedule**
- III. Shift Schedule**
- IV. Firearms/Communication Equipment/Vehicles/Security Equipment**
- V. Minimum Specifications of Security Equipment**

I. GENERAL

The services included in this project consists of, but not limited to, the supply of security services to SLSU Main Campus, SLSU Bontoc Campus and SLSU Maasin City Campus.

II. CONTRACT SCHEDULE

The contract period is for one (1) year unless sooner terminated for a cause.

III. SHIFT SCHEDULE

A. Regular Guard shall have a regular eight (8) hours duty in the following schedules:

1. First Shift (0600 – 1400)
2. Second Shift (1400 – 2200)
3. Third Shift (2200 – 0600)

B. Supervising Guards / Security Officer shall have a regular office hour duty.

IV. FIREARMS / COMMUNICATION EQUIPMENT / VEHICLE / SECURITY EQUIPMENT

Description	Requirement
1. Hand Held Radio Set	3
2. Fire Arms	5
3. Uniform (which includes)	
• Handcuffs	5
• Heavy duty rechargeable flashlight	9
• Whistle	15
• Tickler	4
• Ballpen	4
• First Aid Kit	5
• Pro Baton	4
• Inspection Sticks	5
4. Motorcycle	1
5. Metal Detector with batteries	5
6. Rain Coats/umbrellas	15
7. Rain Boots	15
8. Guard Patrol Touring System	3
9. Megaphone	5
10. Reflectorized Traffic Vest	5
11. Computer w/Printer	1

V. MINIMUM SPECIFICATIONS OF SECURITY EQUIPMENT

Security Equipment	Minimum Specification
1. Handgun	Licensed 38 cal. pistol
2. Handheld Radio Set	<ul style="list-style-type: none"> • VHF Scanning Portables • 5 watt output
3. Guard Patrol Touring System	<ul style="list-style-type: none"> • Shock resistant and water-proof (suitable in harsh environment) • Memory of 10,000 readings (be able to expand storage capacity) • Can use in the noisy and night environment. • Automatic alarm when low power or storage full. • 135x41x22mm 10,000 records (expandable 3.6V lithium battery, supports 700,000 continuous readings. • Downloader with USB connection.

It is understood that the above-listed equipment shall be functioning and usable. In case of defect, it shall be the duty of the Security Agency to replace the unit within twenty-four (24) hours from the time it was reported.