

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

COST SUB-TOTAL	UNIT COST	UNIT	QTY	# DESCRIPTION/MATERIALS
				GENERAL REQUIREMENTS
		lot		Mobilization/Demobilization and Site Clearing
		lot		Temporary Facilities
				Chipping of existing wall, slab, ramp, column and beam portion only for proposed
		lot		construct Linen room, Storage, Presidential CR and stair 1st to 3rd floor.
		lot		Relocation of two units stainless water tank from Ballroom 3rd floor to Stair deck
		101		including Pipe line.
		lot		Relocation of Glass door and glass wall opening for additional glass door at 2nd floor
				mini function room.
		lot		Removal of existing ceiling at Restaurant area and Coffee Shop
		lot		Fabrication, Installation of support & hanger for all Sanitary Line located at first floor
	+	1		ceiling.
		lot		Removal and replacement of two units existing Panel board
				SUB-TOTAL
		1		EARTH WORKS
		cu.m.		Excavation
		cu.m.		Backfilling/filling materials
		lot		Line and Grade
				SUB-TOTAL
				CONCRETE WORKS
				Footing (Stair Area)
		bags		Portland Cement,40 kg. (Type 1)
		cu.m.		Washed sand
		cu.m.		Gravel,3/4
		pcs.		20 mmø Steel Bars Structural Grade 40
		pcs.		16 mmø Steel Bars Structural Grade 40
	+	pcs.		12 mmø Steel Bars Structural Grade 40
		kgs		#16 Tie Wire
		Ng3		Slab - L1 & Roof Deck Slab including Concrete toping at Ballroom
		bage		
	+	bags		Portland Cement,40 kg. (Type 1) Washed sand
		cu.m.		
		cu.m.		Gravel,3/4
		pcs.		10 mmø Steel Bars Structural Grade 33
		kgs		#16 Tie Wire
				Column - L1 to L2
		bags		Portland Cement,40 kg. (Type 1)
		cu.m.		Washed sand
		cu.m.		Gravel,3/4
		pcs.		25 mmØ Steel Bars Structural Grade 40
		pcs.		20 mmø Steel Bars Structural Grade 40
		pcs.		16 mmø Steel Bars Structural Grade 40
		pcs.		10 mmø Steel Bars Structural Grade 33
		•		#16 Tie Wire
		<u> </u>		Column - L2 to L3
	1	hags		
		pcs.		20 mmø Steel Bars Structural Grade 40 16 mmø Steel Bars Structural Grade 40 10 mmø Steel Bars Structural Grade 33 #16 Tie Wire



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	25 mmØ Steel Bars Structural Grade 40		pcs.		
	20 mmø Steel Bars Structural Grade 40		pcs.		
	10 mmØ Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
3.5	Column - L3 to Roof Beam				
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	25 mmø Steel Bars Structural Grade 40		pcs.		
	20 mmø Steel Bars Structural Grade 40		pcs.		
	16 mmø Steel Bars Structural Grade 40		pcs.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
3.6	Beam - L2, L3 & Roof Deck Beam		1,63		
3.0	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.	1	
	Gravel,3/4		cu.m.	1	
	20 mmø Steel Bars Structural Grade 40		pcs.		
	10 mmø Steel Bars Structural Grade 33		pcs.	1	
	#16 Tie Wire		kgs		
3.7	Roof Beam & Water Wall		1,83		
3.7	Portland Cement,40 kg. (Type 1)		bags	1	
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	16 mmØ Steel Bars Structural Grade 40		pcs.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
3 8	Lintel Beam		Ngo		
5.0	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		-		
	12 mmø Steel Bars Structural Grade 40		cu.m.		
-	10 mmø Steel Bars Structural Grade 33		pcs.		
-	#16 Tie Wire		pcs.		
2.0			kgs		
3.3	Stair - L1 to L3 Portland Coment 40 kg. (Type 1)		hara	 	
	Portland Cement,40 kg. (Type 1)	+	bags	 	
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.	 	
	16 mmø Steel Bars Structural Grade 40		pcs.	 	
	12 mmø Steel Bars Structural Grade 40		pcs.		
2.40	#16 Tie Wire		kgs		
3.10	Ramp & Stair @ entrance				



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

TEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
	Tactile Paving Blocks/Blind paving (Yellow)0.30m.x0.30m		pcs.		
	#10 black, white & brown pebbles (Ramp NGL to FFL & 2nd to 3rd flr.)		bags		
	SUB-TOTAL				
4.00	FORM WORKS/ SCAFFOLDINGS				
4.1	Column - L1 to L3				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.2	Beam & Roof Beam				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.3	Lintel Beam				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.4	Stair - L1 to L3 & Roof Deck Slab				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.5	Scaffolding for painting and Ceiling works		T T		
	2"x3"x12' coco lumber		pcs.		
	2"x2'x12' coco lumber		pcs.		
	Common wire nails # 4		kg.		
			T T		
5.00	MASONRY WORKS INCLUDING WALL FOOTING				
	Wall and plant box				



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	CHB 4"		pcs.		
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
5.2	Water Wall				
	CHB 6"		pcs.		
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
	Waterproofing		sq.m.		
	SUB-TOTAL				
6.00	CEILING AND PARTITION WORKS				
	Ceiling including Accent wall (1st and 3rd floor)				
	Hardiflex 1.20m x2.40m x1/4" thk.		sheets		
	Double Metal Furring Channel		lights		
	Currying Channel		lights		
	Wall Angle 1"x1"x4mmx8'		lights		
	Hardiflex Screw		pcs.		
	Blind rivets, 5/32"x3/4"		pcs.		
	Wall Clip		pcs.		
	#12 Hanger wire		kgs		
	2" x 4" x 1.5mm x 6.0m Tubular (standard)(1st floor lobby ceiling design)		length		
	Welding Rod		box		
6.2	Toilet Cubicle & urinal privacy screen		SOX		
0.2	Blade Mounted Overhead Braced (new graphite color) in 13mm Compact Laminate. With Total Privacy Solution. Door Furniture to be surface mounted Diecast Zinc, Alloy ZP3 (Satin Matte Black) Easy-Glide Slide Lock & indicator with Concealed Screw Fix. Aluminium to be Square Clear Anodised. Screw fixing. (1.400mx1.00m)		sets		
	Blade Mounted Overhead Braced (new graphite color) in 13mm Compact Laminate. With Total Privacy Solution. Door Furniture to be surface mounted Diecast Zinc, Alloy ZP3 (Satin Matte Black) Easy-Glide Slide Lock & indicator with Concealed Screw Fix. Aluminium to be Square Clear Anodised. Screw fixing. (1.500mx1.00m)		sets		
	Wall mouted urinal privacy screen (new graphite color) in 13mm Compact Laminate. Aluminium to be Square Clear Anodised. (1.40mx0.40m)		sets		
	SUB-TOTAL				
	DOORS, WINDOWS & FIXED GLASS				
7.1	Doors & Windows				
	0.90m x 2.10m panel Door-8 w/ door jamb and design (mahogany)(Presidential, Guest, Storage & Dressing Room)		sets		
	0.70m x 2.10m panel Door-3 w/ door jamb and design (mahogany)(Presidential, Guest, 3rd floor. CR)		sets		
	Cylindrical lock set		pcs.		
	Loose pin Hinges (3½"x 4")		pairs		



SOUTHERN LEYTE STATE UNIVERSITY SOGOD, SOUTHERN LEYTE

Project: PROPOSED COMPLETION OF LIVELIHOOD TRAINING AND DEVELOPMENT CENTER (PHASE 3)

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Swing Glass Door-15 Heavy Duty (1.10m. x 2.10m.)w/ 1¾"x4" Analok Frame & concealed heavy		set		
	duty door closer (1st & 2nd flr. Stair Landing)(see specs and detail)		361		
	Double Swing Glass Door-17 Heavy Duty (1.20m. x 2.10m.)w/ 1¾"x4" Analok Frame &		set		
	concealed heavy duty door closer (Linen Room)(see specs and detail)		366		
	Double Swing Glass Door-18 Heavy Duty (2.00m. x 2.10m.)w/ 1¾"x4" Analok Frame &		sets		
	concealed heavy duty door closer (Ballroom & Function Hall)(see specs and detail)				
	Swing Glass Door-22 Heavy Duty (1.00m. x 2.10m.)w/ Fixed Glass, 1¾"x4" Analok Frame &		set		
	concealed heavy duty door closer (1st Floor Ramp Area)(see specs and detail) Sliding Glass Door-11 Heavy Duty (2.00m. x 2.10m.)w/ 1¾"x4" Analok Frame				
	, , , .		set		
	(Presidential)(see specs and detail) Swing Tempered Glass Door-24 (0.70m. x 2.10m.)w/ Fixed Tempered Glass &				
	Complete Accessories(Presidential Bath Rm.)(see specs and detail)		set		
	Swing Glass Door-26 Heavy Duty w/ Fixed Glass (1/4"xW-1.25m. x H-3.10m.)w/ 1¾"x				
	4" Analok Frame (Stair landing Area)(see specs and detail)		sets		
	Typical Window 1 w/ capiz design 1.20x2.40m (Function Hall, Ballroom & Dressing Room)		sets		
	Typical Window 2 w/ capiz design 1.20x1.80m (Presidential Room)				
			sets		
	Typical Window 3 w/ capiz design 1.20x0.80m (Guest Room)		set		
	0.40x1.20m Sliding Window 4, glass with analok frame (Kitchen)		set		
	0.45x0.60m awning Window 5, glass with analok frame (Presidential)		set		
	0.45x1.20m awning Window 14, glass with analok frame (3rd flr. Male & Female CR)		sets		
	Typical Window 15 w/ capiz design 1.20x1.20m (Ballroom)		sets		
	0.45x1.80m awning Window 20, glass with analok frame (Dressing room Male &		3013		
	Female CR)		sets		
	0.45x2.40m awning Window 21, glass with analok frame (Sotrage & Linen Rm.)		sets		
	Tinted Fixed Glass Panel (1/4"xW-3.60m. x H-1.85m.)w/ 1¾"x 4" Analok Frame		3613		
	(Ballroom)(see specs and detail)		sets		
	Hidden Frame Curtain Wall with Awning window 2½"x6" Powder Coated Frame & sealant using		set		
	1/4" thick Tinted Glass(W-4.10m. x H-2.80m.)(Stair landing Area)(see specs and detail)				
	Hidden Frame Curtain Wall with Awning window 2½"x6" Powder Coated Frame & sealant using				
	1/4" thick Tinted Glass(W-4.10m. x H-3.10m.)(Stair landing Area)(see specs and detail)		set		
	17 Tallock Timed Glass(W - 4.10111. XTT 5.10111.)(Geal Tallolling Timed)(Gee Speed and dectail)				
	Hidden Frame Curtain Wall with Awning window 2½"x6" Powder Coated Frame & sealant using		cot		
	1/4" thick Tinted Glass(W-4.10m. x H-0.80m.)(Stair landing Area)(see specs and detail)		set		
	Hidden Frame Curtain Wall with 2½"x6" Powder Coated Frame & sealant using 1/4" thick				
	Tinted Glass(W-1.25m. x H-2.80m.)(Stair landing Area)(see specs and detail)		sets		
	Hidden Frame Curtain Wall with 2½"x6" Powder Coated Frame & sealant using 1/4" thick				
	Tinted Glass(W-1.25m. x H-3.10m.)(Stair landing Area)(see specs and detail)		sets		
	Hidden Frame Curtain Wall with 2½"x6" Powder Coated Frame & sealant using 1/4" thick		a a t		
	Tinted Glass(W-3.10m. x H-2.20m.)(Stair landing Area)(see specs and detail)		set		
	Hidden Frame Curtain Wall with 2½"x6" Powder Coated Frame & sealant using 1/4" thick		set		
	Tinted Glass(W-1.25m. x H-2.00m.)(Stair landing Area)(see specs and detail)		361		
	Hidden Frame Curtain Wall with 2½"x6" Powder Coated Frame & sealant using 1/4" thick		set		
	Tinted Glass(W-2.70m. x H-2.80m.)(Stair landing Area)(see specs and detail)			1	
	Hidden Frame Curtain Wall with 2½"x6" Powder Coated Frame & sealant using 1/4" thick		set		
	Tinted Glass(W-2.70m. x H-3.10m.)(Stair landing Area)(see specs and detail)				
	Hidden Frame Curtain Wall with Awning window 2½"x6" Powder Coated Frame & sealant using		set		
	1/4" thick Tinted Glass(W-2.70m. x H-3.10m.)(Stair landing Area)(see specs and detail)		ે કરા -		
	Tinted Fixed Glass Panel (1/4"xW-4.10m. x H-2.15m.)w/ 1¾"x 4" Analok Frame			†	
	(Waiting Lounge)(see specs and detail)		set		
	Tinted Fixed glass 1/4"x 0.15x0.20m. Door design (1st Floor Male & Female CR)		pcs.		



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	0.20x0.80m Wooden louver with frame (1st Floor Male & Female CR)		pcs.		
7.2	Fixed Glass and Glass Door with Sensor				
	Automatic sliding, 1/2"thk. Frameless Tempered Glass Sensor Operated Door and				
	Fixed glass Partition, with complete Accessories including fabrication and installation		sq.m.		
	at Lobby entrance.				
8.00	TILEWORKS				
8.00	Portland cement 40 kg. type 1		bags		
	Fine sand		cu.m.		
	0.40m x 0.40m (Textured Floor Tiles Stair Entrance & Stair 1st to 3rd floor)		pcs.		
	0.60m x 0.60m (Textured Floor Tiles Veranda 1st Floor)		pcs.		
	0.60m x 0.60m (Floor tiles Presidential & Guest CR)		pcs.		
	0.60m x 0.60m (Wall tiles Presidential & Guest CR)(Floor to Ceiling)		pcs.		
	0.40m x 0.40m (Floor tiles CR Male & Female 3rd floor)		pcs.		
	0.40m x 0.40m (Floor tiles CR Male & Female 3rd floor) (Floor to Ceiling)		pcs.		
	0.60m x 0.60m (Polished Floor Tiles 3rd floor Dressing Rm. and Lobby)		pcs.		
	0.60m x 0.60m (Polished Granite Tiles 1st floor Presidential Suite area)		pcs.		
	0.80m x 0.80m (Polished Granite Tiles 1st flr. Lobby entrance & expansion)		pcs.		
	0.40m x 0.40m Wall tiles (Water wall)		pcs.		
	Stone Cladding (Veranda wall, Stairs, Plantbox, 2nd and 3rd floor ramp Area)		sq.m.		
	Tile trim		pcs.		
	ABC grout (2kls/bag)		bags		
	Stair Nosing 1½" x 3m. (Brass)		pcs.		
	SUB-TOTAL		pes.		
9.00	ROOFING WORKS				
	10mmthk Double Sided PE Foam Insulation		sq.m.		
	G.I. Wire # 16		kgs		
	0.50mm thk Rib Type Pre-Painted Long span Roofing		sq.m.		
	Pre-Painted, Pre-Fabricated Gutter, 0.5mm thk		pcs		
	Tex Screw 2 1/2" full thread		pcs		
	Blind rivets		pcs.		
	Silicone Sealant, clear		pcs		
	2"x2"x1/4"thk Angle Bar (standard)		length		
	2"x2"x3/16"thk Angle Bar (standard)		length		
	1" x 1" x 3.5mm Angle Bar @ 6m. Length (standard)		length		
	2"x 3"x 20'x 1.5mm. C-Purlins		length		
	16mmØ Turnbuckle		pcs		
	Rust Converter		gal		
	Welding Rod		boxes		
	12mm dia. Round Bars Cross Bracing		length		
	10mm dia. @ 6m. length. RSB Sag Rod		length		
	0.40mm thk Aluminum Composite Panels		sq.m.		
	Pre-Painted, Pre-Fabricated Soffit Plain (Driftwood/Wood Stain)		meter		
	Red Lead Paint		gals.		
	Paint Thinner		gals.		



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Roller Brush 4"		pcs.		
	Paint Brush 3"		pcs.		
	Paint Brush 2"		pcs.		
	Downspout roof drain Stainless Strainer 3"		pcs.		
	PVC downspout 3" dia.x10'		pcs.		
	PVC 90 deg. bend elbow 3" dia.		pcs.		
	PVC 45 de. bend elbow 3" dia.		pcs.		
	PVC coupling 3" dia.		pcs.		
	SUB-TOTAL		p s s s		
10.00	PAINTING WORKS				
20.00	Quick Dry Enamel Paint, Gloss		gals.		
	Flatwall Enamel Paint				
			gals.		
-	Acrylic Latex Paint, Black		gals.		
	Acrylic Latex Paint, Gloss		gals.		
	Flat Latex Paint		gals.		
	Red Lead Paint		gals.		
	Liquid Tile Cast		gals.		
	Liquid Tile Reducer		gals.		
	Body Filler		gals.		
	Paint Thinner		gals.		
	Concrete Neutralizer		quart		
	Sand Paper #120		pcs.		
	Roller Brush 8"		pcs.		
	Paint Brush 4"		pcs.		
	Paint Brush 3"		pcs.		
	Paint Brush 2"		pcs.		
	SUB-TOTAL				
11.00	PLUMBING WORKS				
	Fixtures				
	Water Closet w/ tank & comp. Accessories (Soap & Tissue Holder)(Presidential &		<u> </u>		
	Guest CR)		sets		
	Counter Top Lavatory w/ comp. Accessories (Lav.Faucet,Traps)(see specs and		sets		
	detail)(Presidential & Guest CR) Water Closet w/ tank & comp. Accessories (Soap & Tissue Holder)(Ballroom Male,		5015		
	Female CR & Dressing room CR)		sets		
	Counter Top Lavatory w/ comp. Accessories (Lav.Faucet,Traps)(see specs and		<u> </u>		
	detail)(Ballroom Male & Female CR, Dressing room)		sets		
	Granite Counter Slab, 0.60m x 2.40m Galaxy black (see specs and detail)(Ballroom Male &		pcs.		
	Female CR, Presidential & Guest CR, Kitchen & Bar Counter)		·		
	Urinal, with comp. Accessories (see specs and detail)(Ballroom CR)		sets		
	Shower Head (Presidential & Guest CR)		sets		
	Towel bar, Towel ring (Presidential & Guest CR)		sets		
	Counter Mirror 0.70m.x 0.90m. (Presidential & Guest CR)		sets		
	Floor Drain US Stainless 4" (1st & 3rd floor)		pcs.		
	Faucets with hose bibb		pcs.		
11.2	Sanitary Lines				



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	PVC Pipe, 4"x10' (S-1000)		pcs.		
	PVC Pipe, 3"x10' (S-1000)		pcs.		
	PVC Pipe, 2"x10' (S-1000)		pcs.		
	PVC Tee, 4"x 4"		pcs.		
	PVC Wye, 4"x 4"		pcs.		
	PVC Wye, 3"x 3"		pcs.		
	PVC Wye, 4"x 2"		pcs.		
	PVC Wye, 2"x 2"		pcs.		
	PVC 45° bend elbow, 4"		pcs.		
	PVC 45° bend elbow, 3"		pcs.		
	PVC 45° bend elbow, 2"		pcs.		
	PVC Coupling, 4"		pcs.		
	PVC Coupling, 3"		pcs.		
	PVC Coupling, 2"		pcs.		
	PVC 90° bend elbow, 4"		pcs.		
	PVC 90° bend elbow, 3"		pcs.		
	PVC 90° bend elbow, 2"		pcs.		
	Clean Out, 4"		pcs.		
	Clean Out, 3"		pcs.		
	PVC P-Trap, 2"		pcs.		
	Solvent 400cc		pcs.		
11.3	Water Supply Lines		'		
	PPR Pipe 1/2"Ø x 12'		length		
	PPR Pipe 1"Ø x 12'		length		
	PPR elbow 1/2"Ø x 45°		pcs.		
	PPR elbow 1"Ø x 45°		pcs.		
	PPR elbow 1/2"Ø x 90°		pcs.		
	PPR elbow 1"Ø x 90°		pcs.		
	PPR Female elbow adopter 1/2"Ø		pcs.		
	PPR Tee 1/2"Ø		pcs.		
	PPR Tee 1"Ø		pcs.		
	PPR Coupling 1/2"Ø		pcs.		
	PPR Coupling 1"Ø		pcs.		
	PPR Union 1/2"Ø		pcs.		
	PPR Union 1"Ø		pcs.		
	PPR Gate Volve 1/2"Ø		pcs.		
	PPR Gate Volve 1"Ø		pcs.		
	PPR Male adopter 1/2"Ø		pcs.		
	PPR Male adopter 1"Ø		pcs.		
	PPR Female adopter 1/2"Ø		pcs.		
	SUB-TOTAL		ρεз.		
12.00	RAILINGS AND OTHER ARCHITECTURAL				
	Railings, Louver & Ladder Cages				



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Prefab railings for ramp entrance and 2nd to 3rd floor (304 Stainless pipe		lot		
	with design) (see specs and detail)		101		
	2" x ¼" Flat bar (standard)		pcs.		
	1 ½" x ¼" Flat bar (standard)		pcs.		
	20mmØ Plain Round bar (standard)		pcs.		
	12mmØ Plain Round bar (standard)		pcs.		
	2" x 4" Good Lumber Handrail (Tanguile)(see specs and detail)		bd.ft.		
	2" x ¼" Stainless Steel Flat bar (standard)		pcs.		
	1 ½" x ¼" Stainless Steel Flat bar (standard)		pcs.		
	20mmØ Stainless Steel Plain Round bar (standard)		pcs.		
	12mmØ Stainless Steel Plain Round bar (standard)		pcs.		
	2" x 4" x 1.5mm x 6.0m Tubular (standard)		length		
	1" x 3" x 1.5mm x 6.0m Tubular (standard)		length		
	G.I. Pipe, 1¼"Ø x 20', Sch.40		pcs.		
	16 mmø Steel Bars Structural Grade 40		pcs.		
	Welding Rod		box		
	Welding Rod Stainless		kgs		
12.2 Fro	ont Desk,Door,Wall and SLSU Hotel Logo				
	SLSU Hotel Logo		lot		
	Melamine Board 3/4"x4'x8'		pcs.		
	Bonding Strip 3/4"		meter		
	Flat Screw 1-3/4"		pcs.		
	Brushed Nickel Effect Square Bar Drawer handle		pcs.		
	Ball Bearing Full Extension 18" Drawer Guide		pairs		
	Lock Set		pc.		
	Hinges		pairs		
	Stikwel		ltr.		
	Rugby		gal.		
	Tempered Glass 1/2"thk. x 0.40m x 2.00m w/ Accessories including installation		set		
12.3 Kit	tchen Cabinet & Walk-in Closet				
	Melamine Board 3/4"x4'x8'		pcs.		
	Bonding Strip 3/4"		meter		
	Flat Screw 1-3/4"		pcs.		
	Kitchen Brushed Nickel Effect Square Bar Cabinet handle		pcs.		
	Stainless steel Pull-out basket		pcs.		
	Stainless steel Pull-out Trash Cabinet		pcs.		
	Concealed cabinet hinges full overlay w/ screw		pcs.		
	Concealed cabinet hinges Half overlay w/ screw		pcs.		
	Ball Bearing Full Extension 18" Drawer Guide		pairs		
	Stikwel		ltrs.		
	SUB-TOTAL				
13.00 EL	ECTRICAL WORKS				
	inel Board and Breaker				
	Distribution Panel board, 500 AT,3P,6 holes (bolt-on type Center Main)		unit		



Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Panel board, 100 AT,3P,22 holes (bolt-on type Center Main)		units		
	Panel board, 125 AT,3P,20 holes (bolt-on type Center Main)		units		
	Circuit breaker, 500 AT, 3P (bolt-on type Main breaker)		unit		
	Circuit breaker, 100 AT, 3P (bolt-on type Main breaker)		units		
	Circuit breaker, 125 AT, 3P (bolt-on type Main breaker)		units		
	Circuit breaker, 150 AT, 3P (bolt-on type Main breaker)		unit		
	Circuit breaker, 15 AT, 2P (bolt-on type)		units		
	Circuit breaker, 20 AT, 2P (bolt-on type)		units		
	Circuit breaker, 30 AT, 2P (bolt-on type)		unit		
	Circuit breaker, 40 AT, 2P (bolt-on type)		units		
13.2	Lighting Fixtures		units		
13.2	LED Circular Downlight 8"Ø, 20 Watts (Day Light)		sets		
	LED Circular Downlight 6"Ø, 12 Watts (Day Light)		1		
	Dimmable LED Recesed Ceiling Panel Downlight, 20 Watts, 170mmx170mmx20mm (Day Light)		sets		
	(Ballroom)		sets		
	Pendant Light (1st floor lobby)		sets		
	Dimmable LED Circular Ceiling Lamp, 400mmx38mm, 24w-220V (Suface				
	mounted)(Warm White)		sets		
	Dimmable LED Recesed Ceiling Panel Downlight, 20 Watts ,170mmx170mmx20mm (Warm		sets		
	White) (1st floor lobby)				
	LED Double Head Ceiling LAMP, 9 Watts		sets		
	LED Circular Drop Light, 18 Watts W/ Metal Chain (Day Light)		sets		
	Flexible Waterproof LED Strip light, AC220V with EU power plug, 120 led/m. 2835		meters		
	SMD High brightness (Warm White) Wall/Post Light		sets		
	Hand Dryer (Ballroom)				
12.2	Wires & Cables		sets		
13.3					
	60 mm², THHN Wire (Stranded)		meters		
	30 mm², THHN Wire (Stranded)		meters		
	14 mm², THHN Wire (Stranded)		meters		
	8.0 mm², THHN Wire (Stranded)		boxes		
	5.5 mm², THHN Wire (Stranded)		boxes		
	3.5 mm², THHN Wire (Stranded)		boxes		
	2.0 mm², THHN Wire (Stranded)		boxes		
13.4	Conduit Pipes and Fittings				
	PVC Conduit pipe, 2 in. dia.		length		
	PVC Conduit pipe, 3/4 in. dia.		length		
	PVC Conduit pipe, 1/2 in. dia.		length		
	PVC Junction box /cover, 4"x4"		pcs.		
	PVC Utility box, 2"x4"		pcs.		
	Electrical Tape (big)		rolls		
13.5	Wiring Devices	1	1		
	Switch, Flush Type,3-Gang "Wide series"		sets		
	Switch, Flush Type,2-Gang "Wide series"		sets		
	Switch, Flush Type,1-Gang "Wide series"	 	sets		
	Switch, Flush Type,1-Gang Wide series" Switch, Flush Type,1-Gang 3-way "Wide series"		sets		
	Switch, Hush Type,1-Dang S-way Wile Selles		ડલાડ		



SOUTHERN LEYTE STATE UNIVERSITY SOGOD, SOUTHERN LEYTE

Project: PROPOSED COMPLETION OF LIVELIHOOD TRAINING AND DEVELOPMENT CENTER (PHASE 3)

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

Owner: SOUTHERN LEYTE STATE UNIVERSITY

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Duplex Convenience Outlet, Flush Type "Wide series"		sets		
	ACU Outlet, Flush Type,1-Gang "Wide series"		sets		
13.6	Catwalk				
	1 ½"x1 ½" x ¼"thk Angle Bar (standard)		length		
	12 mmØ Steel Bars Structural Grade 40		pcs.		
	G.I. Pipe, 1"Ø x 20', Sch.40		pcs.		
	2"x2"x5mm Structural Wire mesh		pcs.		
	Welding Rod		kgs		
	SUB-TOTAL				

Total Material cost



SOUTHERN LEYTE STATE UNIVERSITY SOGOD, SOUTHERN LEYTE

Project: PROPOSED COMPLETION OF LIVELIHOOD TRAINING AND DEVELOPMENT CENTER (PHASE 3)

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

Owner: SOUTHERN LEYTE STATE UNIVERSITY

Prepared by:

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
A.	DIRECT COST				
1	Material Cost				
2	Labor Cost (35% of A.1)				
3	General Requirements				
4	Earth Works				
		S	UB-TOTAL		
В.	INDIRECT COST				
1	Contingency Allow. (5% of A.1)				
2	VAT, Taxes, Misc. (7% of A.1-4 + B.1)				
3	Contractor's Profit (10% of A.1-4)				
		S	UB-TOTAL		
C.	ADMINISTRATIVE COST				
		S	UB-TOTAL		
		TOTAL PRO	JECT COST		